

Pressure Transducers - Sensit

Introduction

The Sensit M6 Series Transducers are 27mm diameter instruments offering high performance in a small space. Built around the Sensit ceramic sensor with its extraordinary chemical and corrosion resistance, the standard housing is stainless steel.

Specifications

Construction	All Stainless Steel
Sensing element	Ceramic
Output (Std)	4 – 20mA
Power supply	12 – 36 vDC
Accuracy	± 0.25 % FS
Pressure Connection	¼" B.S.P. Parallel
Temp Range	-50 to 125 °C

Features

- All Stainless Construction
- Ranges from -1 to 500bar
- Sealed to IP65
- Choice of outputs
- Peak pressures to 200%



Models Available

Gauge Pressure	-1 to 0, 0.5, 1, 2, 5, 10, 20, 50, 100, 200, 400 Bar
----------------	------------------------------------------------------

Postal Address
Homersham Ltd
P.O. Box 280
CHRISTCHURCH 8015
NEW ZEALAND

Phone: 03 3588309
Phone: 0800 659888

Website: www.homershams.co.nz

Delivery Address
Homersham Ltd
3 Homersham Place
CHRISTCHURCH 8005
NEW ZEALAND

Fax: 03 3582516
Fax: 0800 659777

E-mail: info@homershams.co.nz
Section 3



Temperature
Pressure